

TOSHIBA

e-STUDIO2021AC

e-STUDIO2521AC

Colour Multifunctional Printers

- Multifunctional A3 colour systems with features tailored to the needs and wishes of small- to medium-sized enterprises to support modern document workflows
- Large and fully customisable user interface for easy to access all functions and increased efficiency
- High-speed document output of up to 25 pages per minute



**TOGETHER
INFORMATION**

Cloud-ready and Secure

Today's new hybrid work environment has permanently changed demands on access to information: it must be available anywhere and anytime. Only then can organisations maintain maximum efficiency and productivity. Yet information also needs to be secure.


Toshiba's cloud-ready products and our team of experts provide the solutions you need to improve workflow and print with functionalities that are smarter and more convenient than ever before. We have implemented new features to increase productivity with the vision of Together Information – helping people and organisations share information more effectively through better products and solutions. In line with the needs of “new normal” workplaces, the series is equipped with functionalities that enable non-contact, non-face-to-face and remote work.

Based on the latest technological advances and security standards, we deliver end-to-end tailored solutions to help you seamlessly and securely navigate today's digital workplace. In addition, our multifunctional print (MFP) systems meet the highest environmental requirements. From consulting, cloud migration and fleet management to implementation and technical support, Toshiba is at your side.

With our advanced e-BRIDGE Next technology, the two systems e-STUDIO2021Ac and e-STUDIO2521Ac feature outstanding versatility and value for money. This makes the all-rounders, which both deliver impeccable documents, ideal for small- to medium-sized enterprises (SMEs).

- Reliable, high-quality document output with a print resolution of up to 1,200 x 1,200 dpi
- Print speed of up to 20 pages (e-STUDIO2021Ac) and 25 pages (e-STUDIO2521Ac) per minute
- Large and fully customisable user interface for direct access to the features you need most
- State-of-the-art security features to ensure your data are protected

Smart And Smooth



Access the systems functionalities via an intuitively operable 26 cm (10.1") tablet-style touch screen. It is equipped with an embedded web browser and is fully customisable, allowing you to tailor settings and automate workflows – including integration of third-party solutions. In line with the new look and feel of the e-STUDIO series, the bold and straightforward user interface, enables simple operation and improved efficiency.

- Customise and automate workflows according to your needs
- Boost productivity by reducing manual and paper-intensive processes
- Personalise the user interface to meet individual or department-specific needs for maximum efficiency

Premium Performance at an Entry-level Price

Workgroups within small and medium-sized enterprises (SMEs) appreciate the easy integration of the e-STUDIO2021AC and 2521AC into existing IT infrastructures.

The systems are fully customisable, and offer readily accessible solutions, thanks to open platform architecture.

Designed for modern businesses, both systems are capable of cloud and mobile printing. AirPrint and Mopria Print Service support and address the printing needs of mobile device users, while Wi-Fi direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables additional printing features, and gives users the ability to scan documents back to their tablets or smartphones.

The e-STUDIO2021AC and e-STUDIO2521AC can be equipped with various apps to enhance efficiency. When the apps are combined with our embedded optical character recognition (OCR) feature, documents can be scanned as Microsoft Word and other popular office formats.

To ensure a perfect fit, contact our team of software developers for support in creating customised apps for you.

Cloud solution apps¹⁾

- e-BRIDGE Plus for Box
- e-BRIDGE Plus for Dropbox™
- e-BRIDGE Plus for Google Drive™
- e-BRIDGE Plus for Google Workspace™ Google Drive™
- e-BRIDGE Plus for Gmail™
- e-BRIDGE Plus for OneDrive®
- e-BRIDGE Plus for OneDrive® for Business²⁾
- e-BRIDGE Plus for SharePoint® Online²⁾
- e-BRIDGE Plus for Exchange Online²⁾
- e-BRIDGE Plus for Universal Print²⁾
- e-BRIDGE Plus for WebDAV

Workflow solution apps¹⁾

- e-BRIDGE Plus for Barcode Scan
- e-BRIDGE Plus for USB Storage
- e-BRIDGE Plus for Green Information
- e-BRIDGE Plus for Zone OCR
- e-BRIDGE Plus for ID Card
- e-BRIDGE Plus for Voice Guidance
- e-BRIDGE Plus for DocuWare

¹⁾ Availability of apps may vary from country to country.

²⁾ Embedded app for Microsoft 365.

Your partner in sustainability

Building a sustainable society is a top priority for Toshiba. We are committed to people and the future of our planet, and we make every effort to minimise the impact of our business on the environment. This means conservation and protection of the world's natural resources in every business process and product as well as providing solutions that make our customers' operations more sustainable. Accordingly, the e-STUDIO2021AC and e-STUDIO2521AC MFPs have also been equipped with various environmentally friendly features:

- Low-power, super sleep mode to save money and reduce energy consumption
- Compliance with the latest, most stringent environmental requirements
- Usage of recycled plastics
- The e-BRIDGE Plus for Green Information app, which displays environmental achievements directly on the MFP to encourage use of eco-friendly settings

Security meets convenience

Toshiba has always placed top priority on protecting data. As a leading provider of information technology, the company has equipped e-STUDIO2021AC and e-STUDIO2521AC MFPs with state-of-the-art security features, such as an anti-malware function, secure Solid State Drive (SSD), Trusted Platform Module (TPM) with encryption function.

Optionally you can choose the Security HDD with data overwrite function. Deploy all the security technologies offered to ensure your data are protected when using the MFP.



Big Performance in a Compact Format

Toshiba's e-STUDIO2021AC and e-STUDIO2521AC systems offer a wide spectrum of functionalities in a surprisingly compact format. The multifunctional units enable you to integrate and simplify your workflows while improving efficiency.

Mobile printing gives you full flexibility and lets you easily connect to mobile devices via AirPrint or the Mopria Print Service.

Embedded and optional apps to customise the system according to your preferences.

Large user interface for easy access to all features and functions of the device.

Scan to USB is great for working with documents on the go – you can even create PDF/A-2 files suitable for long-term archiving.

Print from USB for quick and easy printouts. If necessary, the MFP will automatically scale your documents to fit the available paper size.

Remote assistance and diagnostics fit seamlessly into today's workstyles and help keep your business running when technical difficulties or uncertainties occur.


Paper volume indicators on the control panel make it easy to see the paper sizes, types and levels in each cassette.

Print around eliminates bottlenecks by allowing other print jobs to go around a job that is held up due to the need for a specific paper size or type.

Scan and fax preview allows you to review, rotate and modify your scanned documents or incoming faxes before saving or printing.



Configuration



Highlights

Security you can rely on

Optional card readers and biometric fingerprint readers* add an extra layer of security to the systems and allow you to restrict access to the devices. But they also make life easier for users by giving them direct access to their print jobs.

Multi Station Print Solution

Toshiba's proprietary Multi Station Print Solution allows users to send print jobs from their desktops and retrieve them at up to 50 different MFPs within the network by authenticating at their device, e.g. by simply swiping a badge.

Advanced e-BRIDGE technology

The e-BRIDGE Next architecture features an embedded web browser, enabling you to easily utilise Toshiba's internally developed solutions or even third-party applications.

* Availability differs between countries

Specifications

General

Print & Copy Speed	A4: 20/25 ppm A3: 10/12 ppm
Warm-up Time	~ 13.1/15 seconds from low power mode
Paper Size & Weight	Cassette: A5R-A3, 60-163 g/m ² Bypass: 100 x 148 mm-A3, 60-209 g/m ²
Paper Capacity	Cassettes: 1x 250 sheets Bypass: 1x 100 sheets Max. 2,900 sheets
Inner Output Tray	550-sheet capacity
Automatic Duplex	A5R-A3, 60-163 g/m ²
Controller Type	Toshiba e-BRIDGE Next
Control Panel	26 cm (10.1") Multi-Touch Colour Panel
Memory	Security SSD 128 GB ⁽¹⁾ ; 4 GB RAM
Interface	10Base-T/100Base-TX/1000Base-T, High Speed USB 2.0, WLAN* (IEEE802.11b/g/n), Bluetooth*, Wi-Fi Direct*
Dimension & Weight	585 x 586 x 662 mm (WxDxH), ~58.9 kg
Initial Consumables	Drums, Developers, Waste Toner Box

Print

Resolution	600 x 600 dpi, 5 bit 1,200 x 1,200 dpi, 2 bit (equiv. 3,600 x 1,200 dpi) with PostScript driver only
Page Description Language	PCL5e, PCL5c, PCL6 (PCL XL), PDF and PS3, (JPEG)
Supported Systems	Windows 11/10/8.1, Windows Server 2022/2019/2016, Mac OS 10.12-14, Linux/Unix, Citrix, SAP, AS/400
Network Protocols	TCP/IP (IPv4/IPv6), NetBios over TCP/IP
Colour Modes	Auto-Colour (ACS), Colour, TWIN Colour, Monochrome
Colour Settings	ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance
Mobile Printing	e-BRIDGE Print & Capture, Mopria® Print Service, AirPrint on iOS or macOS®
Print Functions	Universal Printer Driver, Driver Templates, Driver plug-ins*, Print from USB, Hold Print, Tandem Printing, E-Mail direct printing

Scan

Resolution	Max. 600 x 600 dpi
Scan Speed	Reversing Automatic Document Feeder*: up to 73 ppm (300 dpi) in colour and monochrome
Scan Modes	Auto-Colour (ACS), Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/XPS/PDF, Secure PDF, Slim PDF, PDF/A, PDF/A-2, Searchable PDF* (and other formats like DOCX, XLSX)*
Scan Functions	WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, Local), Meta Scan*, OCR scan, Scan to Box (e-Filing), WIA, TWAIN

Copy

Resolution	Scan: 600 x 600 dpi Print: 600 x 600 dpi, 5 bit, equiv. 2,400 x 600 dpi with smoothing (monochrome only)
First Copy Output Time	Colour: ~ 9.5/9.5 seconds Monochrome: ~ 7.1/7.1 seconds
Zoom	Platen*: 25-400%, RADF*: 25-200 %
Copy Modes	Text, Text/Photo, Photo, Printed Image, Map, Image Smoothing
Colour Modes	Auto-Colour (ACS), Full Colour, Twin Colour, Mono Colour, Monochrome
Colour Settings	Hue, Saturation, Colour Balance, RGB adjustment, 5 one-touch modes
Copy Functions	Electronic Sort, Rotate Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode

Fax*

Communication	Super G3, G3 - (opt. 2 nd line) Internet Fax T.37
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	1 GB Transmission/Reception
Network-Fax	Driver for Windows 11/10/8.1, Windows Server 2022/2019/2016
Incoming Fax Routing	To shared folders (SMB, FTP), E-Mail, e-Filing

System & Security

Device Management	Top Access for remote administration and configuration
System Features	e-Filing document server for secure storage, Document distribution and Print-on-Demand (one public box, 200 user boxes), over 1.2 million one-touch templates for storage of personalised settings and workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform, Embedded Web Browser, Job Skip, PCL Barcode printing, e-BRIDGE Plus embedded apps
Accounting & Security	Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader*, Private Print, Standard data encryption with Security SSD, Data Overwrite function when optional HDD is chosen, IP and MAC address filter, Port Filter, Support of SSL and IPsec* protocols, IEEE802.1x support, Scan to Secure PDF, Pull-printing*

Options

REVERSING AUTOMATIC DOCUMENT FEEDER	100-sheet capacity, A5R-A3, 35-157 g/m ²
PAPER FEED UNIT	550-sheet capacity (1 Cassette), A5R-A3, 60-163 g/m ²
PAPER FEED PEDESTAL	550-sheet capacity (1Cassette), A5R-A3, 60-163 g/m ²
DRAWER MODULE	For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-A3, 60-163 g/m ²
ENVELOPE DRAWER	For Paper Feed Pedestal or 2 nd Cassette Envelopes: 50-envelope capacity (1 Cassette) 100x162 mm - 240x380 mm, 60-85 g/m ² Paper: 550-sheet capacity, A5R-A4R, 60-163 g/m ²
LARGE CAPACITY FEEDER	2,000 sheets, A4, 60-163 g/m ²
INNER FINISHER	2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 g/m ² (stapling mode)
HOLE PUNCH UNIT	Available in 2 holes (E), 4 holes (F), 4 holes (S)

PLATEN COVER
DESK
SECURITY HARD DISK DRIVE 320 GB⁽¹⁾
SECURITY SOLID STATE DRIVES 512 GB⁽¹⁾
WORK TRAY
JOB SEPARATOR
FAX BOARD
USB HUB
ACCESSORY TRAY
PANEL TEN-KEY
WIRELESS LAN/BLUETOOTH MODULE (incl. Wi-Fi Direct)
e-BRIDGE ID-GATE
ACCESSIBLE ARM
IP FAX (LICENCE)
IPsec ENABLER (LICENCE)
MULTI STATION PRINT ENABLER (LICENCE)
META SCAN ENABLER (LICENCE)
UNICODE FONT ENABLER (LICENCE)
HARD COPY SECURITY KIT (LICENCE)



*Optional.

⁽¹⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less.

Available capacity will also be less if software applications are pre-installed.



Contact Us:

Gold Standard Document Solutions Ltd
58A Amwell Street,
Hoddesdon,
Hertfordshire
EN11 8UA



01920 881004



info@copiersandprinters.co.uk



www.copiersandprinters.co.uk



Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m² if not otherwise mentioned. Copyright ©2023 Toshiba Tec Germany Imaging Systems GmbH, Version 1.0