TOSHIBA

E-STUDIO409P

Monochrome Printing System

- Reliable A4 devices for small workgroups
- Excellent productivity with a 40 pages per minute print speed
- Cost-effective and environmentally friendly based on low energy consumption











The e-STUDIO409p is an advanced print system that delivers exceptional functionality and value for money. These monochrome print devices offer efficiency and ease of use, equipped with features like mobile printing to support today's business processes. In addition, they deliver vital data security on an exceptionally high level.

Alongside efficiency and flexibility, data security is a top priority across all Toshiba devices. They are designed to master complex and evolving threats, satisfying security requirements and preventing unauthorised access to protect your confidential data.

The e-STUDIO409p is equipped with an additional layer of security, Trusted Platform Module 2.0 (TPM 2.0). The TPM 2.0 has self-encrypting drives which offer comprehensive, hardware-level security against third party access, encrypting data with a unique encrypted key to help ensure that none of it falls into the wrong hands. TPM not only provides peace of mind by ensuring an extraordinarily high-level of data security within your organisation, but also enables you to comply with the stringent data security requirements of many corporations and government agencies.
















Configuration











Specifications

GENERAL

Print & Copy Speed: 40 ppm

Warm-Up Time: ~ 9 seconds (from sleep mode)

Paper Size & Weight: Cassette: A6-A4/custom, 60-120 g/m²

Bypass: 99x148 mm - 215x359 mm, 60-217 g/m²

Paper Capacity: Cassette: 1x 250 sheets,

Bypass: 1x 100 sheets

Max.: 900 sheets

Output Capacity: 150-sheet capacity

Automatic Duplex: A4/custom, 60-90 g/m²

Control Panel: 2 line LCD display

Memory: Standard: 256 MB, Max.: 256 MB

Interface: 10Base-T/100Base-TX/1000Base-T (incl. IPv6), High Speed

USB 2.0

Dimensions & Weight: 368 x 363 x 222 mm (W x D x H), 9.3 kg

Initial Consumables: Starter cartridge with Toner and Imaging unit

<u>PRIN I</u>

Resolution: Max. 600 x 600 dpi (enhanced)

First Print Output Time: ~ 5.9 seconds

Page Description Languages: PCL 6, PCL 5, PostScript 3 and PDF v1.7 emulation

Supported Systems: Windows 10/8/8.1, Windows Server 2016/ Server 2012/

Server 2008 (32/64 bit), Windows Server 2012 R2/ Server 2008 R2 (64 bit), Linux/Unix, Novell NetWare, Citrix, SAP

Mobile Printing : AirPrint, Mopria Print Service

Print Functions: Universal Printer Driver, Multiple pages per sheet, Envelope

printing

<u>SYSTEM</u>

System Features: Energy saving modes, Automatic toner saturation/

darkness adjustment

Accounting & Security: Private print, IP address filter, Port filter, Support of

SNMPv3, SSL and IPsec protocols







TOSHIBA E-STUDIO 409P

Contact Us:

Gold Standard Document Solutions Ltd 58A Amwell Street, Hoddesdon, Hertfordshire EN118UA





01920881004



info@copiersandprinters.co.uk



www.copiersandprinters.co.uk





